

- [57] Stearns DM, Belbruno JJ, Wetterhahn KE. A prediction of chromium(III) accumulation in humans from chromium dietary supplements. *The FASEB Journal* 1995; 9:1650-1657.
- [58] Newman HAI, Leighton RF, Lanese RR, Freedland NA. Serum Chromium and Angiographically Determined Coronary Atery Disease. *Clin.Chem.* 1978; 24(4):541-544.
- [59] Anderson RA, Polansky MM, Bryden NA, Roginski EE, Mertz W, Glinsmann W. Chromium supplementation of human subjects: effects on glucose, insulin, and lipid variables. *Metabolism* 1983; 32:894-899.
- [60] Anderson RA, Polansky MM, Bryden NA, Canary JJ. Supplemental-chromium effects on glucose, insulin, glucagon, and urinary chromium losses in subjects consuming controlled low-chromium diets. *Am J Clin Nutr* 1991; 54:909-916.
- [61] Offenbacher EG, Pi-Sunyer FX. Beneficial effect of chromium-rich yeast on glucose tolerance and nd blood lipids in elderly subjects. *Diabetes* 1980; 29:919-925.
- [62] Abraham AS, Brooks BA, Eylath U. The effects of chromium supplementation on serum glucose and lipids in patients with and without non-insulin-dependent diabetes. *Metabolism* 1992; 41:768-771.
- [63] Zhitkovich A. Chromium in Drinking Water: Sources, Metabolism, and Cancer Risks. *Chemical Research in Toxicology* 2011; 24:1617-1629.
- [64] Tchounwou PB, Yedjou CG, Patlolla AK, Sutton DJ. Heavy Metals Toxicity and the Environment. *EXS*, 2012; 101:133-164.
- [65] van Heerden PV, Jenkins IR, Woods WP, Rossi E, Cameron PD. Death by tanning – a case of fatal basic chromium sulphate poisoning. *Intensive Care Med*, 1994; 20:145-147.
- [66] Merkblatt zur BK Nr. 1103: Erkrankungen durch Chrom oder seine Verbindungen. *Bek. des BMA vom 25.2.1981 im BArbBl* 1981; Heft 4.
- [67] Arbeitsmedizinische Leitlinie „Biomonitoring“. S1-Leitlinie der Deutschen Gesellschaft für Arbeitsmedizin und Umweltmedizin. Stand 03/2013.
- [68] World Health Organisation. Inorganic Chromium(III) compounds - Concise International Chemical Assessment Document 76. WHO Press, 2009. unter: <http://www.inchem.org/documents/cicads/cicads/cicad76.pdf> (Stand 16.03.2016).
- [69] Lewalter J, Domik C, Weidemann H. Chrom. The MAK-Collection for Occupational Health and Safety, Wiley-VCH Verlag GmbH & Co. Abgeschlossen im Februar 1990.
- [70] Nixon DE, Butz J, Eckdahl SJ, Burritt MF. Determination of chromium in serum and urine. *PerkinElmer SCIEX instruments Application Note*, 2000.
- [71] Swietlik R. Speciation Analysis of Chromium in Waters. *Polish Journal of Environmental Studies*, 1998;7(5):257-266.
- [72] Ball JW, McCleskey RB. A New Cation-Exchange Method for Accurate Field Speciation of Hexavalent Chromium. *Water-Resources Investigations Report 03-4018*. U.S. Geological Survey Boulder Colorado 2003.
- [73] Posta J, Bernt H, Luo S-K, Schaldach G. High-performance flow flame atomic absorption spectrometry for automated on-line separation and determination of Cr(III)/Cr(VI) and preconcentration of Cr(VI). *Anal Chem* 1993; 65:2590.
- [74] Powell MJ, Boomer DW, Wiederin DR. Determination of chromium species in environmental samples using high-pressure liquid chromatography direct injection nebulization and inductively coupled plasma mass spectrometry. *Analytical Chemistry*, 1995; 67(14):2474.
- [75] Wang HJ, Du XM, Wang M, Wang TC, et al. Using ion-pair reversed-phase HPLC ICP-MS to simultaneously determine Cr(III) and Cr(VI) in urine of chromate workers. *Talanta*, 2010; 81(4-5):1856-1860.
- [76] Lavi N, Alfassi ZB. Determination of trace amounts of cadmium, cobalt, chromium, iron, molybdenum, nickel, selenium, titanium, vanadium and zinc in blood and milk by neutron activation analysis. *Analyst*, 1990; 115(6):817-22.
- [77] Sendil O, Mohammed N, Somer G. Simultaneous determination of Cr(III) and Cr(VI) using differential pulse polarography and application to Gereede River. *Turk J Chem*, 2012; 36:335-346.
- [78] Maheswari V, Balasubramanian. Spectrophotometric Determination of Chromium Based on Ion-Pair Formation. *Chem. Ana. (Warsaw)*, 1996; 41:596-576.
- [79] Cherian T, Narayana B. Spectrophotometric determination of chromium using saccharin. *Indian Journal of Chemical Technology*, 2005; 12:596-600.
- [80] Meißner D. Chrom In: Biesalski HK, Köhrle J, Schümann K (Hrsg). *Vitamine, Spurenelemente und Mineralstoffe*. Georg Thieme Verlag, Stuttgart New York 2002; 235-236.
- [81] Deutsche Forschungsgemeinschaft. MAK- und BAT-Werte-Liste 2015. Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe 51. Mitteilung 2015; Wiley-VCH.
- [82] Rückgauer M, Schmitt Y, Zeyfang A. Bedeutung von Chrom, Kupfer, Selen und Zink bei Diabetes mellitus Typ 1 und Typ2 mit Folgeerkrankungen. *J Lab Med* 2006; 30(4):192-200.
- [83] Pääkkö P, Kokkonen P, Anttila S, Kalliomäki PL. Cadmium and chromium as markers of smoking in human lung tissue. *Environ Res.* 1989; 49(2):197-207.
- [84] Anderson RA, Polansky MM, Byrden NA, Roginski EE, Patterson KY, Reamer DC. Effects of exercise (running) on serum glucose, insulin, glucagon and chromium excretion. *Diabetes* 1982;32:212-216.
- [85] Anderson RA, Polansky MM, Byrden NA, Patterson KY, Veillon C, Glinsmann WH. Effects of chromium supplementation on urinary Cr excretion oh human subjects and correlation of Cr excretion with selected clinical parameters. *Journal of Nutrition* 1983;113:276-281.
- [86] Borel JS, Majerus TC, Polansky MM, Moser PB, Anderson RA. Chromium intake and urinary chromium excretion of trauma patients. *Biological Trace Element Research* 1984;6:317-326.
- [87] Kozłowski AS, Moser PB, Reiser S, Anderson RA. Effects of diets high in simple sugars on urinary chromium losses. *Metbolism* 1986;35:515-518.
- [88] Davies S, McLaren HJ, Hunnisett A, Howard M. Age-related decreases in chromium levels in 51,665 hair, sweat, and serum samples from 40,872 patients—implications for the prevention of cardiovascular disease and type II diabetes mellitus. *Metabolism*. 1997; 46(5):469-473.
- [89] Bundesanstalt für Arbeitsschutz und Arbeitsmedizin. Überprüfung der Stoffe aus der 2. Registrierungsphase nach REACH in Bezug auf Luftgrenzwerte für den Arbeitsplatz: www.baua.de/de/Themen-von-A-Z/Gefahrstoffe/REACH/pdf/REACH-2.pdf?__blob=publicationFile&v=5 (Stand: 10.04.2016).
- [90] <http://www.reach-clp-biozid-helpdesk.de/de/REACH/Zulassung-Beschaerung/Zulassung/Anhang-XIV/Anhang14.html> Stand 14.08.2014.
- [91] Brüning T, Pesch B, Zschiesche W, Welge P, Hagemeyer O, Weiß T, Schlüter G, Nies E, Bochmann F, Stamm R, Palfner S, Pallapies D. Wissenschaftliche Datenlage zur BK-Nr. 1103 im Hinblick auf die kanzerogene Wirkung von Chrom(VI)-Verbindungen. *ASU Arbeitsmed Sozialmed Umweltmed* 015;50:666-676.
- [92] Baresic M, Gornik I, Radonic R, Zlopasa O, Gubarev N, Gasparovic V. Survival after Severe acute Chromic Acid Poisoning Complicated with Renal and Liver Failure. *Inter Med* 2009;48:711-715.
- [93] Lin C-C, Wu M-L, Yang C C, Ger J, Tsai W-J, Deng J-F. Acute Severe Chromium Poisoning After Dermal Exposure to Hexavalent Chromium. *J Chin Med Assoc* 2009;72(4):219-221.
- [94] Kelly WF, Ackrill P, Day JP, O'Hara M, Tye CT, Orton BC, Harriss M. Cutaneous absorption of trivalent chromium: tissue levels and treatment by exchange transfusion. *British Journal of Medicine* 1982;39:397-400.
- [95] Fritzsche J, Borisch C, Schaefer C. High Chromium and Cobalt Levels in a Pregnant Patient with Bilateral Metal-on-Metal Hip Arthroplasties. *Clin Orthop Relat Res* 2012;470:2325-2331.